



MODEL 753S

ELITE MATCH GRADE AIR RIFLE



Match Price \$210.00

To place an order, call (479) 636-1200 then press 1, or email info@daisy.com to reach customer service.

The Daisy 753S Elite is designed for intermediate competitive shooters. This .177 caliber single pump pneumatic features a full-length, match-style stock with a raised cheek piece and adjustable length. The high-grade steel barrel is crowned, and features 12 lands and grooves, right-hand twist. It is precision bore sized for match pellets.

- Pneumatic single-pump cocking lever; Straight-pull bolt.
- Sights: Hooded front with aperture inserts; adjustable competition peep.
- Muzzle Velocity: 495 fps
- .177 Cal. Pellet
- Full-length, match-style stock with raised cheek piece and adjustable length
- Adjustable diopter rear sight
- Lothar Walther™ rifled high-grade steel barrel, crowned; 12 lands and grooves, right-hand twist
- Diecast metal receiver with full cut loading port
- Sling with adjustable positioning










FOR ADDITIONAL
INFORMATION


| | |
|----------------------------|--|
| CALIBER: | .177 BB |
| ACTION: | Single Pump Pneumatic Spring |
| POWER PLANT: | Spring |
| MAXIMUM SHOOTING DISTANCE: | 257 Yards |
| LENGTH: | 38.5 inches (97.7 cm) |
| WEIGHT: | 6.25 lbs |
| RAIL: | None |
| VELOCITY: | 495 feet per second (fps) |
| STOCK: | Full-length, match-style with raised cheek piece and adjustable length |
| BARREL: | 12 lands and grooves, crowned, precision bore sized for match grade pellets, Rifled high-grade steel |
| LENGTH OF PULL: | 12 – 13.5 inches |
| OPTICS: | Competition Sights |
| SIGHTS: | diopter rear sight with micrometer adjustable rear, Front globe sight with changeable aperture inserts |
| SAFETY: | Manual Crossbolt |
| RECOMMENDED AGE: | 16 Years |
| WARRANTY: | Limited 1 Year |

Competitive shooters, from local matches to national competitions, require a unique combination of superior accuracy and exceptional balance. Daisy's Match Grade, Model 753S Avanti is specially designed and engineered for the intermediate competitive shooter. Trigger pull length is adjustable from 12 inches to 13.75 inches. Daisy's Match Grade, Model 753S Elite is designed for use by experienced shooters and is intended for match competition or target range use.


| | | |
|------------|---|---------|
| 153515-000 | Bolt Handle | \$1.00 |
| 153521-100 | Band-Barrel | \$1.50 |
| 169816-000 | Front Globe Sight Assembly | \$5.00 |
| 169888-000 | Metal clamps (pair with screw) | \$1.50 |
| 153809-200 | Right Sling Bracket | \$0.75 |
| 153808-200 | Left Sling Bracket | \$0.75 |
| 137923-100 | Receiver | \$11.00 |
| 134429-000 | Trigger Guard Screw | \$0.25 |
| 138448-100 | Stock Assembly, Black Plastic | \$35.00 |
| 153591-000 | Buttplate | \$1.00 |
| 136515-000 | Buttplate Screws | \$0.50 |
| 132767-000 | Pin Lever | \$0.25 |
| 138383-000 | Stock Screw | |
| | (*Requires 2 for wood stock, 1 for plastic) | \$1.50 |
| 134430-000 | Receiver Screw | \$0.25 |
| 168044-000 | Trigger Housing Assembly | \$2.50 |
| 154132-000 | Trigger Housing | \$2.00 |
| 131013-000 | Safety Spring | \$0.10 |
| 131601-000 | Detent Ball | \$0.10 |
| 167939-000 | Pump Lever Assembly | \$11.00 |
| 138029-000 | Knurled Pin | \$0.25 |
| 154126-001 | Piston | \$2.00 |
| 134425-000 | Piston O ring | \$0.25 |
| 134610-000 | Foam Wiper | \$0.25 |
| 153518-100 | Frame | \$5.50 |
| 169313-000 | Valve Body Assembly | \$60.00 |
| 154416-000 | Pump Tube | \$4.00 |
| 138367-000 | VB O-Ring | \$0.25 |
| 153509-000 | Trigger Lock | \$0.50 |
| 134608-000 | Hammer Spring | \$0.50 |
| 136525-000 | Sear Spring | \$0.25 |
| 135744-000 | Bolt Spring | \$0.25 |
| 134324-000 | Trigger Spring | \$1.00 |
| 134428-000 | Latch Spring | \$0.25 |
| 153513-000 | Lever Latch | \$0.50 |
| 154131-000 | Bolt | \$1.00 |
| 132084-000 | Barrel Spacer | \$1.00 |
| 153592-000 | Left Filler | \$2.00 |
| 153593-000 | Right Filler | \$2.00 |
| 134600-000 | Stock Nut | |
| | (Requires 2 for wood stock, 1 for plastic) | \$0.25 |
| 153681-000 | Stock Spacer (Wood Stock Only) | \$0.50 |
| 153594-000 | Seat | \$0.25 |
| 138327-000 | Rear Receiver Screw | \$0.25 |
| 995996-001 | 5996 Match Grade Diopter Rear Sight | \$89.95 |
| 138469-000 | Sling Swivel | \$3.00 |
| 136884-000 | 1/4 x 20 Set Screw | \$0.25 |
| 154518-100 | Barrel Weight | \$5.00 |
| 138392-000 | 1.25" Sling Assmely | \$11.50 |
| 154403-000 | Buttplate Spacer for Wood stock | \$1.00 |
| 138420-000 | Buttplate Spacer for Plastic Stock | \$1.00 |
| 138447-000 | Sling Washer | \$1.00 |
| 169629-000 | O-Ring and Valve Group | \$2.50 |
| 168968-000 | Sight Inserts | \$3.00 |
| 169633-K00 | Hammer Kit | \$6.00 |
| 169630-K00 | Screw Assortment | \$5.00 |
| 138393-000 | Sling Lock | \$5.00 |
| 169634-K00 | Lever Latch Kit | \$1.00 |
| 169318-K00 | Safety Assembly | \$1.00 |
| 169632-K00 | Trigger Assembly | \$2.00 |
| 169636-K00 | Sling Bracket Kit | \$4.00 |









42. BOLT HANDLE ASSEMBLY
169635-K00




43. O-RING & VALVE GROUP
169629-K00




44. SIGHT INSERTS
168968-000




45. HAMMER KIT
169633-K00




46. SCREW ASSORTMENT
169630-K00




47. SLING LOCK
138393-000




48. LEVER LATCH KIT
169634-K00



49. SAFETY ASSEMBLY
169318-K00



50. TRIGGER ASSEMBLY
169632-K00



51. SLING BRACKET
169636-K00